

SRFS TELEINFRA

Get connected with us:



Outdoor Omni Antenna 12 dBi 698-2700 MHz



ELECTRICAL SPECIFICATIONS		
Frequency Range	698-960MHz	1710-2700 MHz
Gain (Avg)	9 dBi	12 dBi
VSWR	≤1.8	
Horizontal-3dB Beamwidth(°)	360	
Vertical-3dB Beamwidth(°)	85/45	
Polarization	Vertical	
Max Input Protection(W)	50	
Input Impedance(Ω)	50	
MECHANICAL SPECIFICATIONS		
Antenna Dimension(mm)	Φ60X230	
Weight(kg)	0.75	
Cover Material	Fiberglass	
Connector	N-Female or Requested	
Operating Temperature(°)	-40~+60	

Add: plot no 10 shiv Vihar a block Najafgarh Sahibi river road Vikas Nagar Uttam Nagar new delhi-110059

+91 84354 74330 info@srfsteinfra.in, aayush@srfsteinfra.in

www.srfsteinfra.in, www.srfsteinfra.com

SRFS Teleinfra | All specifications are subject to change.
SRFS reserves the right to make such changes as required. Unless otherwise stated, all specifications are nominal.
It may be necessary to make modifications to the part and/or the documentation of the part to implement improvements.
See www.srfsteinfra.in for the most current information. Revised: 19 Jan 2023

